


DfD Group




CATALOGUE EN



0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19

0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

INNOVATION, QUALITY



FLEXIBILITY, SECURITY

On our over 2ha factory, DFD Group's young and dynamic professionals offer to our clients tailor made METAL PROCESSING Services to meet all their needs

- transforming steel
- aluminum
- stainless steel

Three shifts a day, 7 days a week, we are transforming

- coils
- sheets
- tubes

A to Z Metal Processing

- cutting
- bending
- stamping
- drilling
- turning and milling



Steel, Stainless Steel & Aluminium WELDING SOLUTIONS

Our team of professionals cover the complete scope of welding services

- Automatic
- Semi-automatic
- Spot Welding
- ARC Welding

Our LASER CUTTING equipment is increasing the possibilities for design and engineering of steel, aluminum and stainless steel DFD Group offers to its customers a wide range of FINISHING WORKS

- Temperature treatment
- Grinding
- Painting facilities
- Powder coating
- Galvanization EN ISO 1461:2009




A TO Z SOLUTIONS

DFD Group's reliable team of professional's main aim is to be your reliable INDUSTRIAL & TRADE Partner

We are covering the complete lifecycle of a product

- Conception and R&D
- Industrial tool production
- Processing and production
- Commercial circuit preparation and introduction
- Packaging
- Storage
- Expedition and tracking



I. Events Safety

- page 5 Mobile barriers
- page 6 Mobile barrier PL

II. Barrier T.P.

- page 7 Barrier T.P. with plate
- page 8 Barrier T.P. with laser cutting plate

- Pedestrian Bridge
- Transport & Storage solutions for Barrier T.P.

III. Urban Environment

- City barriers

IV. Construction site equipment

- page 13 Guardrail
- page 14 Anchor guardrail
Tube for guardrail
- page 15 Extensible barriers and tubes
- page 16 Climbing protection
- page 17 Mobile scaffolding
Tubs
- page 18 Telescopic trestle



Mobile barrier type C

- ✓ Galvanized steel round tubes Ø 38 mm
- ✓ Height 1,10 m
- ✓ Robust vertical round steel rod bars Ø 16 mm
- ✓ Hooks and ears are welded on the sides
- ✓ Powder paint
- ✓ Hot-dip galvanization

art. num	length	Nº bars
30 87 125 01/ 02	1,25 m	10
30 87 200 01/ 02	2,00 m	14
30 87 250 01/ 02	2,50 m	19

- ✓ Laser cut plate as an option

Mobile barrier type B

- ✓ Round steel tubes Ø 33,7 mm
- ✓ Height 1,10 m
- ✓ Robust vertical round steel rod bars Ø 16 mm
- ✓ Hooks and ears are welded on the sides
- ✓ Powder paint EN 50522:2010
- ✓ Hot-dip galvanization EN ISO 1461:2009

art. num	length	Nº bars
30 86 200 01/ 02	2,00 m	14
30 86 250 01/ 02	2,50 m	18





Mobile barrier PL type A

To lock and secure areas of demonstrations

- ✓ Round steel tubes Ø 33,7 mm
- ✓ Height 1,10 m
- ✓ Robust vertical round steel rod bars Ø 16mm
- ✓ Hooks and ears are welded on the sides
- ✓ Powder paint
- ✓ Hot-dip galvanization


art. num	length	Nº bars
30 85 200 01/ 02	2,00 m	17
30 85 250 01/ 02	2,50 m	21



Mobile barrier PL type B

- ✓ Round steel tubes Ø 32 mm
- ✓ Height 1,05 m
- ✓ Robust vertical round steel rod bars Ø 16 mm
- ✓ Hooks and ears are welded on the sides
- ✓ Powder paint
- ✓ Hot-dip galvanization
- ✓ Laser cut plate as an option

art. num	length	Nº bars
30 90 200 01/ 02	2,00 m	14



Barrier T.P. with plate

Barrier T.P. tube \varnothing 25 or \varnothing 28

- ✓ Powder RAL paint by choice
- ✓ Vinyl or reflective strips
- ✓ Strips number choice
- ✓ Choice of nameplate:
 - 83 x 166 mm
 - 166 x 333 mm
 - 333 x 333 mm
 - Custom size



Barrier T.P. with small plate


art. num	\varnothing
30 65 150 01/02	25
30 68 150 01/02	28



Barrier T.P. with large plate

art. num	\varnothing
30 65 150 01/02	25
30 68 150 01/02	28





Barrier with laser cutting plate 83x166

art. num	size plate	Ø
30 75 158 01/02	83 x 166	25
30 78 158 01/02	83 x 166	28



Barrier with laser cutting plate 166x333

art. num	size plate	Ø
30 75 156 01/02	166 x 333	25
30 78 156 01/02	166 x 333	28



Barrier with laser cutting plate 333x333

art. num	size plate	Ø
30 75 153 01/02	333 x 333	25
30 78 153 01/02	333 x 333	28



Pedestrian Bridge

Pedestrian bridges, made of Al plate, equipped with powder coated barriers

✓ 2105 mm x 1060 mm x 1091 mm

✓ Laser cutting plate optional

✓ Powder RAL paint by choice

Art. Num

31 02 300 01

Rack for 50 barriers

art. num

30 15 050 01/02

The barrier racks have become essential :

✓ Saves time of loading/unloading

✓ Space efficient

✓ Increases the life of the barriers by better storage


✓ Laser cutting plate is optional

✓ Powder RAL paint by choice

Rack for 100 barriers

art. num



30 15 1000 01/02



City barriers

With an extensive know how and over two decades of expertise, DFD Group is offering a very wide choice of city barriers, entirely flexible when it comes to :

- ✓ the barrier dimensions
- ✓ tube type
- ✓ tickness of the material
- ✓ personalization by color
- ✓ hot-dip galvanization



Barrier Province Agora

- ✓ Horizontal square steel tubes 30 mm x 30 mm
- ✓ Diagonal square steel tubes 25 mm x 25 mm
- ✓ Powder paint (01)
- ✓ Hot-dip galvanization (02)

art. num	length/mm	h/mm
33 01 100 01/02	1000	1200
33 01 150 01/02	1500	1200

Barrier Boule

- ✓ Horizontal square steel tubes 30 mm x 30 mm
- ✓ Diagonal square steel tubes 25 mm x 25 mm
- ✓ Powder paint (01)
- ✓ Hot-dip galvanization (02)

art. num	length/mm	h/mm
33 10 100 01/02	1520	970

Barrier Liguge

Perfect complementarity with the ball post to achieve homogeneous adjustment.

- ✓ Powder paint (01)
- ✓ Hot-dip galvanization (02)

art. num	length/mm
33 03 100 01/02	1000
33 03 150 01/02	1500

Barrier St. Andre

- ✓ Central cross closure to prevent water gathering
- ✓ Semilunar top rail 40 mm x 10 mm
- ✓ Frame 60 mm x 30 mm
- ✓ Cross tubes 30 mm x 30 mm
- ✓ Powder paint (01)
- ✓ Hot-dip galvanization (02)

art. num	length/mm	h/mm
33 04 161 01/02	1610	1200

Barrier St. Andre


- ✓ Central cross closure to prevent water gathering
- ✓ Semilunar top rail 40 mm x 10 mm
- ✓ Frame 60 mm x 30 mm
- ✓ Cross tubes 30 mm x 30 mm
- ✓ Powder paint (01)
- ✓ Hot-dip galvanization (02)

art. num	length/mm	h/mm
30 04 083 01/02	830	1100

Barrier St. Georges

- ✓ Diagonal steel tubes 35 mm x 15 mm
- ✓ Solid steel frame 25 mm x 25 mm
- ✓ Welded leg rail 30 mm x 15 mm
- ✓ Middle cross element 16 mm x 16 mm
- ✓ Powder paint (01)
- ✓ Hot-dip galvanization (02).

art. num	length/mm	h/mm
30 06 001 01/02	1000	1090





Barrier Losange


- √ Square steel legs 55 mm x 55 mm
- √ Diagonal square steel tubes 30 mm x 30 mm
- √ Square steel cross 20 mm x 20 mm
- √ Powder paint (01)
- √ Hot-dip galvanization (02)

art. num	length/mm	h/mm
33 05 155 01/02	1000	1200
33 05 155 01/02	1500	1200

Barrier Angita

- √ Powder paint (01)
- √ Hot-dip galvanization (02)

art. num	length/mm	h/mm
33 08 001 01/02	1500	1000



Guardrail

It can be used for ceilings up to 45 cm thick
Available both in powder paint or galva (01/02)

art. num	board	tube	kg
20 01 100 01/02	✓		6,50
20 02 100 01/02		✓	7,50

Anchor guardrail for reversible guardrail


Tube Ø 40 mm
Available both in powder paint or galva (01/02)

art. num	board	tube	kg	length
20 06 -L- 01/02	✓		2,70/2,90	1,10 m
20 07 -L- 01/02		✓	3,30/3,50	1,20 m

Reversible guardrail

Reversible guardrail with support of board or tube
Available both in powder paint or galva (01/02)

art. num	kg
20 05 040 01/02	5,00






Pre-slab railing

Reinforced feet and integrated hook.

Available both in powder paint or galva (01/02)

art. num	board	tube	kg	length
20 08 100 01/02	✓		6,50	1,10 m
20 08 100 01/02		✓	7,50	1,20 m




Anchor guardrail D40 for reservation D.25

Tube Ø 40 mm

Available both in powder paint or galva (01/02)

art. num	board	tube	kg	length
20 16 025 01/02	✓		4,00	1,10 m
20 17 025 01/02		✓	4,60	1,20 m



Anchor guardrail D40 for reservation D.40

Tube Ø 40 mm

Available both in powder paint or galva (01/02)

art. num	board	tube	kg	length
20 16 025 01/02	✓		3,50	1,10 m
20 17 025 01/02		✓	4,10	1,20 m



Anchor guardrail D40

Tube Ø 40 mm

Available both in powder paint or galva (01/02)

art. num	board	tube	kg	length
20 24 -L- 01/02	✓		2,70/2,90	1,10 m
20 26 -L- 01/02		✓	3,30/3,50	1,20 m

Extensible protective wall rail

Extensible protective wall rail keeps the window set up a window opening.

The bracket support anchors to the wall.

Available both in powder paint or galva (01/02)

art. num	kg
20 20 130 01/02	2,80
20 20 180 01/02	3,50
20 20 250 01/02	4,80



Extensible protective barrier

Extensible protective barrier is used for setting up of window with bracket support (anchorage).

It is equipped with two adjustment pins and a baseboard bracket.

Available in both powder paint or galva (01/02)

art. num	kg	extension
20 23 130 01/02	13,00	0,70 x 1,30 m
20 23 180 01/02	15,00	1,10 x 1,80 m
20 23 250 01/02	20,00	1,80 x 2,50 m




Extensible protective bar

Available in both powder paint or galva (01/02)

art. num	kg	extension
20 27 130 01/02	13,00	0,70 x 1,30 m
20 27 180 01/02	15,00	1,10 x 1,80 m
20 27 250 01/02	20,00	1,80 x 2,50 m





Peripheral plated protective gear

Perfectly suited for the protection of any kind of construction site

Available in both powder paint or galva (01/02)

art. num	h/m	kg
20 40 300 01/02	3,00	16,00

Element for protection of peripheral plate

art. num	kg
20 11 000 01/02	6,00

Plated protective gear

art. num	board	tube	kg	length
20 14 140 01/02	✓		5,50	1,40 m
20 12 270 01/02	✓		10,6	2,00 m
20 15 140 01/02	✓		7,00	2,70 m
20 13 270 01/02		✓	14,20	3,00 m

Pinion guardrail + tube

This pinion guardrail will allow you to create fully secure work platforms in the blink of an eye thanks to its screw fastening system.

Handle = 0 - 0,75 m

Height = 0,84 m

Safety support: board.

art. num	kg
20 10 100 01/02	13,00

Bar of fixation

Art. Num

20 25 001 02

Mobile scaffolding

Dimension of the work site:

Width - 0,60 m

Length - 2,50 m

Load Capacity 200 kg / m²

Tube Ø 28 mm

Certified by:

BDS DIN EN 12810-1:2003,

ITITÜV DIN EN 12810-1:2003

art. num	h/m	cover
42 50 000 01/02	6,00	paint/galva
46 60 000 01/02	+2,00	



H = 8,00 m



H = 10,00 m



H = 12,00 m





Tubs

Tubs are used to move products in bulk with hook for cranes with securing it in 4 points.

Lifting is possible with a fork-lift without a risk of tipping with 2 secure ties under the tube.

Capacity: 360 l / 500 l

art. num	kg
30 09 360 01	57
30 09 500 01	68



Telescopic trestle with fixed legs

Security, Stability, Reinforced frame.

Load capacity: 200 kg

Traverse height: 1100 mm

Dimension min/max: 1200/2100 mm

Available in both powder paint or galva

art. num	kg
30 16 120 01/02	17,50



Telescopic trestle with foldable legs

Its feet can be removed for optimized transportation and storage space.


Load capacity: 200 kg

Traverse height: 1100 mm

Dimension min/max: 1200/2100 mm

Available in both powder paint or galva



art. num	kg
30 26 120 01/02	19



DELIVERY IN 15 DAYS

CUSTOMIZATION





54 G.M.Dimitrov Blvd, Sofia, Bulgaria

Tel. +359 886 302 411

+359 885 810 921

E-mail: office@dfd-group.com

www.dfd-group.com